



JPSINGLE LNERS

Jonge Poerink

THE CONVEYOR WITH
ACCUMULATING FACILITIES



EFFICIENT ACCUMULATING AND STORAGE

IMPROVE YOUR PLANT CAPACITY WITH THE JP SINGLE LINER. THE ACCUMULATING TABLE ABSORBS DOWNSTREAM INTERRUPTION WITHOUT CAUSING UPSTREAM DELAYS. The robust and maintenance free JP tables can be incorporated into each position of the production line. JP Single Liners are suitable for round products in many sizes.

JP Single Liners can be designed for various layouts and length-width dimensions. The ideal size of the Single Liner depends on the needed accumulating capacity and size of the transported products. A total frame width of 3000 mm is no problem. JP Single Liners are available in various types and layouts and fit in almost every plant design.

TECHNICAL SPECIFICATIONS

Max. belt speed	45 m/min
Belt material	Glass fibre reinforced Polyamide (PA) or Acetal (POM)*
Material conveyor	Stainless Steel or Mild Steel painted
Material guides	Plastic

*other material on request

Belt width	Frame width A	в	Min. Center D	Min. useful surface	E	F
400/400	894	650	1500	1 m²	55	55
500/500	1094	650	2200	1,5 m²	55	55
600/600	1294	650	2300	2 m²	55	55
700/700	1495	650	2400	2,5 m²	55	55
800/800	1696	650	2500	3 m²	55	55







DIFFERENT LAYOUTS AND LENGTH-WIDTH CONFIGURATIONS FOR EACH POSITION IN THE PRODUCTION LINE



At the beginning of the production line



In the production line between two machines

PHARMACY AND COSMETICS

Designed by pharmaceutical guidelines for optimal hygiene and easy cleaning. The conveyor

Heavy duty Single Liners with accumulating

is equipped with a plastic panel belt.



At the beginning of the production line, double outfeed

VARIOUS APPLICATIONS

The JP Single Liners are designed for various applications and industries. You can choose the Single Liner that suits your industry best.

INDUSTRY



1110

ADJUSTABLE INFEED AND OUTFEED

JP Single Liners are equipped with an adjustable infeed and outfeed.

facilities. Suitable for transport of round boxes, tins, cans, glasses and bottles.

CONVEYORS TO IMPROVE YOUR EFFICIENCY

Jonge Poerink Conveyors designs and builds conveyors to optimise your product flow. Based on more than 80 years of experience in innovating efficiency, our conveyors help to optimise the throughput of your production line and improve your yield.

WWW.JPCONVEYORS.COM

Industriestraat 6b | The Netherlands | P.O. Box 4 | 7620 AA Borne | Phone +31 (0)74 255 7430